# GRIEVANCE REDRESSAL FORUM, BHAWANIPATNA

PLOT No. 283, PURUNAPADA, BHAWANIPATNA KALAHANDI- 766001, TEL/FAX: - 06670 - 230012

E-MAIL: grf.bhawanipatna@tpwesternodisha.com

#### BENCH:

ER. ACHYUTANANDA MEHER (PRESIDENT), SRI KAMALA KANTA PATTNAIK (MEMBER (FINANCE)

Dated, the 30.07.2025

Er. Achyutananda Meher Sri Kamala Kanta Pattnaik Sri Bhairaba Naik PresidentMember (Finance)Co-Opted Member

1	Case No.	Complaint Case No. BPT-255/2025					
		Name & Address		Consumer No Contac		No.	
2	Complainant/s	Sri Mrugaraj Pradhan, Repr. By Sri Jayaprakash Pradhan, At-Lamsingha, Po- Godhabandha, Ps-Narla, DistKalahandi.		9030-0101-2921	63707-32820		
3	Respondent/s	Name Sri Krushna Chandra Biswasray (Acct.), Repr. For Sri Debasish Panda, EE, KEED, Bhawanipatna, TPWODL.		Division Kalahandi East Electrical Division, TPWODL			
4	Date of Application		The same of the sa				
	In the matter of-	1. Agreement/Termination	2. Billi	ng Disputes			
		3. Classification/Reclassification of Consumers	4. Con Loa				
		5. Disconnection / Reconnection of Supply	арр	allation of Equipment & aratus of Consumer			
5		7. Interruptions	8. Met				
<b>၁</b>		9. New Connection	10.Qua	lity of Supply & GSOP			
		11. Security Deposit / Interest		12.Shifting of Service Connection & equipment's			
		13. Transfer of Consumer Ownership	14.Volt	14.Voltage Fluctuations			
		15. Others (Specify) –					
6	Section(s) of Electri	city Act, 2003 involved					
7	OERC 1. OERC Distribution (Conditions of Supply) Code,2019;						
•	Regulation(s) with Clauses	Clause(s) 155					
		2. OERC Distribution (Licensee's Standard of Performance) Regulations,2004 Clause					
		3. OERC Conduct of Business) Regulations,2004; Clause					
		4. Odisha Grid Code (OGC) Regulation,2006; Clause					
		5. OERC (Terms and Conditions for Determination of Tariff) Regulations,2004 Clause					
		6. Others					
8	Date(s) of Hearing	16.07.2025					
9	Date of Order	30.07.2025					
10	Order in favour of	Complainant √ Respondent Others					
11	Details of Con awarded, if any.						



# Place of Hearing: Narla Appeared:

- 1. **For the Complainant** Sri Mrugaraj Pradhan, Repr. By Sri Jayaprakash Pradhan, At-Lamsingha, Po-Godhabandha, Ps-Narla, Dist.-Kalahandi.
- 2. For the Respondent Sri Krushna Chandra Biswasray (Acct.), Repr. For Sri Debasish Panda, EE, KEED, Bhawanipatna, TPWODL.

#### GIST OF THE COMPLAINT:

The complainant consumer Sri Mrugaraj Pradhan, Repr. By Sri Jayaprakash Pradhan, At-Lamsingha, Po-Godhabandha, Ps-Narla, Dist.-Kalahandi under the territorial and statutory jurisdiction of respondent.

The complainant has appeared and submitted during course of hearing at camp court at Narla on dt. 16.07.2025, in brief as follows:

- 1) The complainant has appeared before the forum for bill dispute of his LT/Irrigation supply with CD of 1` KW having consumer no- 9030-0101-2921 under EE, KEED, Bhawanipatna .
- 2) As complained by the complainant that the Provisional /Average billing from 05/2020 to 04/2022.
- 3) The complainant has intimated the same to the OP, but till date the OP remains silent for which getting no other way the complainant has approached this forum for redressal of his grievance.

The complainant has prayed for:

To withdraw the excess bill.

#### SUBMISSION OF OPPOSITE PARTY IN BRIEF:

The OP (EE, KEED, Bhawanipatna) in its counter reply and course of hearing submitted as follows:

- 1) PVR: 18/07/2025
- 2) Bill details from: 06/2014 to 06/2025
- 3) Date of supply: 29/01/2014
- 4) Category: LT/Irrigation Pumping and Agriculture
- 5) Connected Load 1 KW
- 6) Meter No TPU023365
- 7) Installed on: 09/05/2022 with IMR "0"
- 8) CMR: 1645 KWH on 18/07/2025
- 9) The meter status: Regular
- 10) Facts of the complainant: Revision of bill
- 11) As written version submitted by EE, KEED, Bhawanipatna as follows:
  - The defective billing from 05/2020 to 04/2022 may be revised by taking average reading of 12 months from 05/2022 to 04/2023 i.e., IMR "0" KwH and FMR "733" KwH.

However, the respondent requested the forum to take appropriate decision as necessary.

## FINDINGS / OBSERVATIONS OF THE FORUM

On perusal of the complaint petition with all relevant enclosures as well as submission of OP and billing statement; the forum observes the followings:

- · The complainant reiterated for excess billing.
- The OP submitted that the defective billing from 05/2020 to 04/2022 may be revised by taking average reading of 12 months from 05/2022 to 04/2023 i.e., IMR "0" KwH and FMR "733" KwH.
- From 01/2014 to 11/2022 Provisional/ Average bills have been served.
- Meter no. TPU023365 had been installed on dt.09/05/2022 and the CMR is "1645" KwH as on dt.18/07/2025.

### ORDER 30.07.2025

Basing on above observations, the forum passes the following order as per regulations of OERC Distribution (Conditions of Supply) Code 2019.

The OP is directed as follows:

The bills served from 05/2020 to 04/2022 (2years) are to be revised by taking IMR "0" KwH on 05/2022 and FMR "733" KwH on 04/2023.

The case is disposed of accordingly.

Compliance report must be submitted to the Forum by <u>August-25</u> by the opposite party after compliance otherwise it will be treated as non-compliance.

Compliance Month-August-25

Co-Opted Member

CopyRe .- Shawanipatna

Co-Spied Member

K.K. PATTNAIK
MEMBER (Fin.)
MEMBER FIN
GRF, Bhawanipatna

A.N. MEHER 3017
PRESIDENT
PRESIDENT
GRF, Bhawanipatna

- 1. Sri Mrugaraj Pradhan, Repr. By Sri Jayaprakash Pradhan, At-Lamsingha, Po-Godhabandha, Ps-Narla, Dist.-Kalahandi.
- 2. EE, KEED, Bhawanipatna, TPWODL.
- 3. Superintending Engineer, Electrical Circle, TPWODL, Kalahandi.
- 4. Chief Legal, Head Quarter Office, TPWODL, Burla.

"If the Complainant is aggrieved with this order of the Grievance Redressal Forum, he/she can make the representation to the Ombudsman-II, Qrs. No.3R-2(S), GRIDCO Colony, P.O: Bhoinagar, Bhubaneswar-751022 within 30 days from the date of order of the Grievance Redressal Forums."